JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York, N.Y. 10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 50

1970

CAMBRIDGE
AT THE UNIVERSITY PRESS
1970

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

CONTENTS OF VOLUME 50

PAGE

Report of the Council: 1969–70 1131

Income and Expenditure Account and Balance Sheet: 1969–70 1168

ADRON, J., *see* COWEY, ADRON and BLAIR 87

ANGEL, M. V.
Observations on the behaviour of *Conchoecia spinirostris* 731

ARMSTRONG, F. A. J., BUTLER, E. I. and BOALCH, G. T.
Hydrographic and nutrient chemistry surveys in the western English Channel during 1961 and 1962 883

ARNOLD, D. C.
A tidal rhythm in the response of the barnacle, *Balanus balanoides*, to water of diminished salinity 1045

BADCOCK, JULIAN
The vertical distribution of mesopelagic fishes collected on the SOND Cruise 1001

BAKER, A. DEC.
The vertical distribution of euphausiids near Fuerteventura, Canary Islands ('Discovery' SOND Cruise, 1965) 301

BLAIR, A., *see* COWEY, ADRON and BLAIR 87

BLAXTER, J. H. S. and STAINES, MARY
Pure-cone retinae and retinomotor responses in larval teleosts 449

BLOOM, STEPHEN A.
An oil dispersant's effect on the microflora of beach sand 919

BOALCH, G. T., *see* ARMSTRONG, BUTLER and BOALCH 883

BONEY, A. D.
Toxicity studies with an oil-spill emulsifier and the green alga *Prasinocladus marinus* . . 461
See also SYKES and BONEY 819

BUCHANAN, J. B., *see* WARWICK and BUCHANAN 129

BURTON, J. D., *see* HEAD and BURTON 439

BUTLER, E. I., CORNER, E. D. S. and MARSHALL, S. M.
On the nutrition and metabolism of zooplankton. VII. Seasonal survey of nitrogen and phosphorus excretion by *Calanus* in the Clyde Sea-Area 525
See also ARMSTRONG, BUTLER and BOALCH 883

CASTILLA, J. C. and CRISP, D. J.
Responses of *Asterias rubens* to olfactory stimuli 829

CHAPMAN, DAVID M.
Further observations on podocyst formation 107

CHIA, FU-SHIANG
See CHIA and ROSTRON 253
See SHEADER and CHIA 1079

CLARK, R. B.
Mucus glands in the central nervous system of the alciopid polychaete *Rhynchonerella angelini*. 421

PAGE

CLARKE, M. R.
Growth and development of *Spirula spirula* 53

COLMAN, J. A.
On the efficiency of food conversion of young plaice (*Pleuronectes platessa*). 113

CORKETT, C. J. and MCLAREN, I. A.
Relationships between development rate of eggs and older stages of copepods 161

CORNER, E. D. S., *see* BUTLER, CORNER and MARSHALL 525

COWELL, E. B. and CROTHERS, J. H.
On the occurrence of multiple rows of 'teeth' in the shell of the dog-whelk *Nucella lapillus* . 1101

COWEY, C. B., ADRON, J. and BLAIR, A.
Studies on the nutrition of marine flatfish. The essential amino acid requirements of plaice and sole 87

CRISP, D. J.
See RITZ and CRISP 223
See CASTILLA and CRISP 829

CROTHERS, J. H., *see* COWELL and CROTHERS. 1101

DALES, R. P., MANGUM, CHARLOTTE P. and TICHY, JOSEPH C.
Effects of changes in oxygen and carbon dioxide concentrations on ventilation rhythms in onuphid polychaetes 365

DANDO, P. R.
Megrim (*Lepidorhombus whiff-iagonis*) populations in the English Channel and approaches—lactate dehydrogenase and glycerol-3-phosphate dehydrogenase polymorphisms . . . 801

DAVIES, ANTHONY G.
Iron, chelation and the growth of marine phytoplankton. I. Growth kinetics and chlorophyll production in cultures of the euryhaline flagellate *Dunaliella tertiolecta* under iron-limiting conditions 65

DAVIES, P. SPENCER
Physiological ecology of *Patella*. IV. Environmental and limpet body temperatures . . . 1069

DYER, K. R.
Sediment distribution in Christchurch Bay, S. England 673

FINCHAM, A. A.
Amphipods in the surf plankton 177
Rhythmic behaviour of the intertidal amphipod *Bathyporeia pelagica* 1057

FISH, J. D. and PREECE, G. S.
The annual reproductive patterns of *Bathyporeia pilosa* and *Bathyporeia pelagica* [Crustacea: Amphipoda] 475

FISH, SUSAN
The biology of *Eurydice pulchra* [Crustacea: Isopoda] 753

FOXTON, P.
The vertical distribution of pelagic decapods [Crustacea: Natantia] collected on the SOND Cruise 1965. I. The Caridea 939
The vertical distribution of pelagic decapods [Crustacea: Natantia] collected on the SOND Cruise 1965. II. The Penaeidea and General Discussion 961

GAMBLE, J. C.
Anaerobic survival of the crustaceans *Corophium volutator*, *C. arenarium* and *Tanais chevreuxi* 657

PAGE

GIESE, G. S., *see* STEELE, MUNRO and GIESE 907

GOODAY, G. W.
A physiological comparison of the symbiotic alga *Platymonas convolutae* and its free-living relatives 199

GRAY, R. W., *see* WILLIAMS and GRAY 871

GREEN, J. C. and MANTON, I.
Studies in the fine structure and taxonomy of flagellates in the genus *Pavlova*. I. A revision of *Pavlova gyrans*, the type species 1113

HAYWARD, J.
Studies on the growth of *Phaeodactylum tricornutum*. VI. The relationship to sodium, potassium, calcium and magnesium 293

HEAD, P. C. and BURTON, J. D.
Molybdenum in some ocean and estuarine waters 439

HICKLING, C. F.
A contribution to the natural history of the English grey mullets [Pisces, Mugilidae] . . 609

HOWELL, B. R. and SHELTON, R. G. J.
The effects of china clay on the bottom fauna of St Austell and Mevagissey Bays . . . 593

JOHNSTON, R.
The decomposition of crude oil residues in sand columns 925

JONES, D. A.
Population densities and breeding in *Eurydice pulchra* and *Eurydice affinis* in Britain . . . 635

KAMPA, ELIZABETH M.
Underwater daylight and moonlight measurements in the eastern North Atlantic . . . 397

KENCHINGTON, R. A.
An investigation of the detritus in Menai Straits plankton samples 489

LASKER, REUBEN, WELLS, J. B. J. and MCINTYRE, A. D.
Growth, reproduction, respiration and carbon utilization of the sand-dwelling harpacticoid copepod, *Asellopsis intermedia* 147

LONGBOTTOM, M. R.
Distribution of the digestive enzymes in the gut of *Arenicola marina* 121

MANGUM, CHARLOTTE P., *see* DALES, MANGUM and TICHY 365

MANTON, I., *see* GREEN and MANTON 1113

MARSHALL, S. M., *see* BUTLER, CORNER and MARSHALL 525

MAUCHLINE, J.
The biology of *Schistomysis ornata* [Crustacea, Mysidacea] 169
The biology of *Mysidopsis gibbosa*, *M. didelphys* and *M. Angusta* [Crustacea, Mysidacea] . . 381

MCINTYRE, A. D.
The range of biomass in intertidal sand, with special reference to the bivalve *Tellina tenuis* . 561
See also LASKER, WELLS and MCINTYRE 147

MCLAREN, I. A., *see* CORKETT and MCLAREN 161

MCLUSKY, DONALD S.
Salinity preference in *Corophium volutator* 747

MOESTRUP, Ø.
On the fine structure of the spermatozoids of *Vaucheria sescuplicaria* and on the later stages in spermatogenesis 513

PAGE

MOMMAERTS, J. P.
On the unusual patterns of phosphate vertical distribution in the Tamar Estuary . . . 849

MORGAN, EDWARD
The effect of environmental factors on the distribution of the amphipod *Pectenogammarus planicrurus*, with particular reference to grain size 769

MORTON, B.
The tidal rhythm and rhythm of feeding and digestion in *Cardium edule* 499

MUNRO, A. L. S., *see* STEELE, MUNRO and GIESE 907

PORTMANN, J. E.
The effect of china clay on the sediments of St Austell and Mevagissey Bays 577

POTTS, G. W.
The ecology of *Onchidoris fusca* [Nudibranchia] 269

PREECE, G. S., *see* FISH and PREECE 475

RILEY, J. P. and SEGAR, D. A.
The seasonal variation of the free and combined dissolved amino acids in the Irish Sea . . 713
The distribution of the major and some minor elements in marine animals 721

RITZ, D. A. and CRISP, D. J.
Seasonal changes in feeding rate in *Balanus balanoides* 223

ROSTRON, M. A., *see* CHIA and ROSTRON 253

ROWE, F. W. E.
A note on the British species of cucumarians, involving the erection of two new nominal genera 683

SEATON, D. D.
Reproduction in *Rhizosolenia hebetata* and its linkage with *Rhizosolenia styliformis* . . . 97

SEGAR, D. A., *see* RILEY and SEGAR 713, 721

SHEADER, M. and CHIA, FU-SHIANG
Development, fecundity and brooding behaviour of the amphipod, *Marinogammarus obtusatus* . 1079

SHELTON, R. G. J., *see* HOWELL and SHELTON 593

SLINN, D. J.
An infestation of adult *Lernaeocera* [Copepoda] on wild sole, *Solea solea*, kept under hatchery conditions 787

SOUTHWARD, A. J.
Improved methods of sampling post-larval young fish and macroplankton. 689

STAINES, MARY, *see* BLAXTER and STAINES 449

STALLWORTHY, W. B.
Electro-osmosis in squid axons 349

STEBBING, A. R. D.
The status and ecology of *Rhabdopleura compacta* [Hemichordata] from Plymouth . . . 209

STEELE, J. H., MUNRO, A. L. S. and GIESE, G. S.
Environmental factors controlling the epipsammic flora on beach and sublittoral sands . . 907

STONE, A. R.
Seasonal variations of spicule size in *Hymeniacidon perleve* 343

SYKES, J. B. and BONEY, A. D.
Seasonal variations in inorganic phytoplankton nutrients in the inshore waters of Cardigan Bay. 819

PAGE

THOMAS, N. W.
Mucus-secreting cells from the alimentary canal of *Ciona intestinalis* 429
Morphology of cell types from the gastric epithelium of *Ciona intestinalis* 737

TICHY, JOSEPH C., *see* DALES, MANGUM and TICHY 365

WARWICK, R. M. and BUCHANAN, J. B.
The meiofauna off the coast of Northumberland. I. The structure of the nematode population. 129

WELLS, J. B. J., *see* LASKER, WELLS and MCINTYRE 147

WILDISH, D. J.
Locomotory activity rhythms in some littoral *Orchestia* [Crustacea: Amphipoda] 241

WILLIAMS, P. J. LEB.
Heterotrophic utilization of dissolved organic compounds in the sea. I. Size distribution of population and relationship between respiration and incorporation of growth substrates . . . 859

WILLIAMS, P. J. LEB. and GRAY, R. W.
Heterotrophic utilization of dissolved organic compounds in the sea. II. Observations on the responses of heterotrophic marine populations to abrupt increase in amino acid concentration 871

WILSON, DOUGLAS P.
Additional observations on larval growth and settlement of *Sabellaria alveolata* 1
The larvae of *Sabellaria spinulosa* and their settlement behaviour 33

ABSTRACTS OF MEMOIRS RECORDING WORK DONE AT THE PLYMOUTH LABORATORY

BLAUSTEIN, M. P. & HODGKIN, A. L., 1969. The effect of cyanide on the efflux of calcium from squid axons 265

BOADLE, M. C., 1969. Observations on a histaminase of invertebrate origin: a contribution to the study of cephalopod amine oxidase 857

COOPER, L. H. N., 1969. Extraction of oceanographical time-series from the four-dimensional 'liquidum' (or continuum) 265

CORNER, E. D. S., DENTON, E. J. & FORSTER, G. R., 1969. On the buoyancy of some deep-sea sharks 265

DAVIES, A. G., 1968. On the adhesion of colloidal ferric oxide to glass 266

GIBBS, P. E., 1969. Aspects of polychaete ecology with particular reference to commensalism . 857

GIBBS, P. E. & WICKSTEAD, J. H., 1969. On a collection of Acrania (Phylum Chordata) from the Solomon Islands 266

MAKAREWICZ, W., 1969. AMP-aminohydrolase in muscle of elasmobranch fish. Purification procedure and properties of the purified enzyme 266

MOMMAERTS, J. P., 1969. Données sur la distribution des éléments biogènes dans l'estuaire du Tamar, à Plymouth 857

MOMMAERTS, J. P., 1969. Données sur l'écologie de l'estuaire du Tamar (Plymouth) . . . 857

SOUTHWARD, E. C. & BRATTEGARD, T., 1968. Pogonophora of the northwest Atlantic: North Carolina region 267

TAYLOR, D. L., 1969. The nutritional relationship of *Anemonia sulcata* (Pennant) and its dinoflagellate symbiont 267

TAYLOR, D. L., 1969. Identity of zooxanthellae isolated from some Pacific Tridacnidae . . 858

TAYLOR, D. L., 1970. Chloroplasts as symbiotic organelles. 858

CORRIGENDA

Page 65, in Title, page 82, line 7, and page 85, line 10, for *Dunalliela* read *Dunaliella.*

Page 128, line 18, *for* SALIGMAN *read* SELIGMAN.

Page 216, line 19, for *Spirorbis maalrdi* read *Spirorbis malardi.*

Page 242, line 15, *for* beatles *read* beetles.

Page 276, line 5, for *Telia* read *Tealia.*

Page 722, line 21, *for* phyeylhydroxylamine *read* phenylhydroxylamine.

Page 785, line 12, *for* endogêe *read* endogée.

Inside Cover of Volume 50, Nos 3 and 4. Council, Elected Members. *Insert* R. I. Currie, R. D. Keynes, Sc.D., F.R.S., Prof. J. G. Phillips, D.Sc., Prof. J. E. G. Raymont, D.Sc. *Delete*, Prof. R. A. Morton, D.Sc., F.R.I.C., F.R.S., Rear Admiral G. S. Ritchie, C.B., D.Sc., F.R.I.C.S., J. C. Swallow, Ph.D., F.R.S.

Page 922, 3 lines from bottom, *for* Bloomer *read* Blumer.

Page 960, line 9, *after* U.K., *insert* Vol. 50.

Page 1031, line 14 from bottom, for *pusillis* read *pusillus.*

Page 1042, line 16, for *Bathophlius* read *Bathophilus.*

Page 1043, line 8, for *valdivae* read *valdiviae.*

Back Page Cover, Contents. Under Report of the Council, *for* 1968–69 *read* 1969–70.

SUBJECT INDEX

Acrania, from the Solomon Islands, 266
Actinia equina, reproduction and life history, 253–64
Adhesion, colloidal hydrous ferric oxide to glass, 266
Algae, dinoflagellate symbiont, 267
  Dunaliella tertiolecta, 65–86
  Pavlova gyrans, 1113–30
  Phaeodactylum tricornutum, 293–9
  Platymonas convolutae, 199–208
  Prasinocladus marinus, 461–73
  Rhizosolenia, 97–106
  Symbiodinium microadriaticum, 858
  Vaucheria sescuplicaria, 513–23
Alimentary canal, digestive enzymes in *Arenicola marina*, 121–8
  gastric epithelial cells in *Ciona intestinalis*, 737–46
  mucus-secreting cells in *Ciona intestinalis*, 429–38
Amino acids, in sea water, 713–20
  requirements of marine flatfish, 87–95
Amino oxidase, in tissues of *Eledone cirrhosa*, 857
AMP-aminohydrolase, in elasmobranch muscle, 266
Amphipods, in surf, 177–98
Anaerobic survival, of crustaceans, 657–71
Anemonia sulcata, nutritional relationship with dinoflagellate symbiont, 267
Anthozoa, element composition, 728–9
Apparatus, for measuring amphipod locomotory activity, 242–3
Arenicola marina, digestive enzymes in gut, 121–8
Asellopsis intermedia, carbon utilization, 154, 157–8
  growth, 152–4
  reproduction, 154–6
  respiration, 156–7
Aslia, new genus, 683–7
Aspidophryxus peltatus, parasitic on *Mysidopsis didelphys*, 393
Asterias rubens, response to olfactory stimuli, 829–47
Asteroid element composition, 721–30
Asymmetron, from Solomon Islands, 266
Atlantic, North, underwater light measurements, 397–420
Aurelia aurita, podocyst formation, 107–11
Auxospore formation, in *Rhizosolenia*, 97–106

Bacterial utilization of dissolved organic compounds, 859–70, 871–81
Balanus balanoides, seasonal changes in feeding rate, 223–40
  response to diminished salinity, 1045–55
Bathyporeia, annual reproductive patterns, 475–88
  pelagica, rhythmic activity, 1057–68
Beach microflora, effect of environmental factors, 907–18
  effect of oil dispersant 'Corexit 7664', 919–23
Bioluminescence, and depth distribution of decapod crustacea, 991–8
  in alciopid polychaetes, 425
Branchiostoma, from Solomon Islands, 266
Brooding behaviour, of *Marinogammarus obtusatus*, 1079–99
Buoyancy, of *Conchoecia spinirostris*, 734
  deep-sea sharks, 265–6
  phytoplankton, 298

Calanus, nitrogen and phosphorus excretion, 525–60
Calcium, efflux from squid axons, 265
  in *Phaeodactylum tricornutum*, 293–9
Canary Islands, Caridea, 939–60
  euphausiids, 301–42
  mesopelagic fishes, 1001–44
  Penaeidea, 961–1000
Carbon dioxide, effect on polychaete ventilation rhythms, 365–80
Carbon utilization by *Asellopsis intermedia*, 154, 157–8
Cardium edule, feeding and digestion, 499–512
Caridea, vertical distribution and migration, 939–60
Chelation of iron, and phytoplankton growth, 65–86
Chemical sense in *Asterias rubens*, 829–47
China clay waste, effect on bottom fauna, 593–607
  effect on sediments, 577–91
Chlorophyll production in *Dunaliella*, 65–86
Chloroplasts as symbiotic organelles, 858
Ciona intestinalis, gastric cell morphology, 737–46
  mucus-secreting cells in alimentary canal, 429–38
Coelenterata, *Actinia equina*, 253–64
  Anemonia sulcata, 267
  Anthozoa, 728–9
  Aurelia aurita, 107–11
Commensal polychaetes in Solomon Islands, 857
Conchoecia spinirostris, feeding and swimming, 731–6
Convoluta roscoffensis, sugars present in, 206
Copepod development, 161–8
Corexit 7664, effect on beach microflora, 919–23
Corophium, anaerobic survival, 657–71
  volutator, salinity preference, 747–52
Crustacea, amphipods, 177–98
  Asellopsis intermedia, 147–60
  Balanus balanoides, 223–40, 1045–55
  Bathyporeia, 475–88
    pelagica, 1057–68
  Calanus, 525–60
  Caridea, 939–60, 961–1000
  Conchoecia spinirostris, 731–6
  copepods, 161–8
  Corophium, 657–71, 747–52
  euphausiids, 301–42
  Eurydice, 635–55
    pulchra, 753–68
  Lernaeocera lusci, 787–800
  Marinogammarus obtusatus, 1079–99
  Mysidopsis, 381–96
  Orchestia, 241–52

Crustacea (*cont.*)
Pectenogammarus planicrurus, 769–85
Penaeidea, 961–1000
Schistomysis ornata, 169–75
Tanais chevreuxi, 657–71
Cucumaria, taxonomy, 683–87
Cyanide, effect on squid axon, 265

Degradation of crude oil residues in sand, 925–37
Detritus in zooplankton samples, 489–98
calorific values, 495–6
influence on quantitative survey techniques, 497
technique for assessing, 490
value as food source, 496–7
Digestion in *Arenicola marina*, 121–8
in *Cardium edule*, 499–512
Digestive enzymes, distribution in gut of *Arenicola*, 121–8
Diopatra cuprea, tube ventilation rhythms, 365–80
Dunaliella tertiolecta, iron deficiency, 65–86

Echinodermata, *Asterias rubens*, 829–47
Asteroidea, 721–30
dendrochirotid holothurians, 683–7
ophiuroid, 721–30
Ecology, *Bathyporeia*, 475–88
nematodes, 129–46
Onchidoris fusca, 269–92
Patella vulgata, 1069–77
Rhabdopleura, 209–21
Elasmobranchii, deep-sea holocephalan, 265–6
deep-sea squaloids, 265–6
Raia clavata, 266
Electro-osmosis in squid axons, 349–63
Eledone cirrhosa, amino oxidase in tissues, 857
Element composition, coelenterates, 728–9
Echinoderms, 721–8
Phaeodactylum, 293–9
Embryology, *Marinogammarus obtusatus*, 1082–7
Enzymes, dehydrogenase polymorphism in *Lepidorhombus* muscle, 801–18
histaminase in *Eledone* tissues, 857
in *Arenicola* gut, 121–8
in elasmobranch muscle, 266
Euphausiids, vertical distribution, 301–42
Eurydice, breeding and population densities, 635–55
pulchra, intertidal distribution, 760–1
life cycle and population structure, 753–68
Excretion of nitrogen and phosphorus by *Calanus*, 525–60
Extracellular products from *Platymonas*, 205
from symbiotic dinoflagellate, 267

Feeding, *Balanus balanoides*, 223–40
Cardium edule, 499–512
Conchoecia spinirostris, 731–6
Mugilidae, 612–20
Mysidopsis, 381–96
Onchidoris fusca, 281–4
Schistomysis ornata, 173
Ferric oxide, adhesion to glass, 266
Food conversion efficiency in young plaice, 113–20

Glycerol-3-phosphate dehydrogenase polymorphism in megrim, 801–18

Growth, *Asellopsis intermedia*, 152–4
copepods, 161–8
Dunaliella tertiolecta, 65–86
Eurydice, 646–8
Hymeniacidon perleve spicules, 343–8
marine bacteria, 859–70
Mugilidae, 620–4
Nucella lapillus, 1101–11
Onchidoris fusca, 276–7
Phaeodactylum tricornutum, 293–9
Sabellaria alveolata larvae, 1–31
spinulosa larvae, 33–52
Spirula spirula, 53–64

Hemichordata, Pogonophora, 267
Rhabdopleura compacta, 209–21
Heterotrophic utilization of dissolved organic compounds, 859–70, 871–81
Horizontal distribution of amphipods in surf, 177–98
Hyalinoecia tubicola, tube ventilation rhythms, 365–80
Hymeniacidon perleve, seasonal variation in spicule size, 343–8

Interstitial microflora on beach and sublittoral sands, 907–18
Ionic regulation, *Ciona intestinalis*, 434–5
Phaeodactylum tricornutum, 293–9
Iron deficiency and phytoplankton growth, 65–86

Lactate dehydrogenase polymorphism in megrim, 801–18
Larval settlement, *Onchidoris fusca*, 277–81
Sabellaria alveolata, 1–31
spinulosa, 33–52
Lepidorhombus whiff-iagonis, dehydrogenase polymorphisms, 801–18
Lernaeocera lusci, parasitizing *Solea*, 787–800
parasitizing *Trisopterus* (*Gadus*), 794–6
Life history, *Actinia equina*, 253–64
Eurydice pulchra, 753–68
Spirula spirula, 62
Light, underwater measurements in N. Atlantic, 397–420
Locomotory activity rhythms in *Orchestia*, 241–52
Loligo forbesi, effect of cyanide on axon calcium efflux, 265
electro-osmosis in giant axons, 349–63

Macrofaunal biomass in Scottish intertidal sands, 561–75
Magnesium in *Phaeodactylum tricornutum*, 293–9
Marinogammarus obtusatus, embryology, 1082–7
reproduction and brooding behaviour, 1079–99
Meiofauna, *Asellopsis intermedia*, in Loch Ewe, 147–60
nematodes off Northumberland coast, 129–46
Metabolism of zooplankton, 525–60
Microspore formation in *Rhizosolenia*, 97–106
Migration of *Onchidoris fusca*, 284–5
Mollusca, *Cardium edule*, 499–512
Eledone cirrhosa, 857
Loligo forbesi, 265, 349–63

Mollusca (*cont.*)
Nucella lapillus, 1101–11
Onchidoris fusca, 269–92
Patella vulgata, 1069–77
Spirula spirula, 53–64
Tellina tenuis, 561–75
Tridacnidae, 858
Molybdenum in sea water, 439–48
Moonlight, underwater measurements in N. Atlantic, 397–420
Mucus glands, in central nervous system of male *Rhynchonerella*, 421–7
Mucus secreting-cells in alimentary canal of *Ciona intestinalis*, 429–38
Mugilidae, feeding, 612–20
growth, 620–4
reproduction, 625–31
salinity tolerance, 612
Mysidopsis angusta, population composition, 390–3
reproduction, 393–4
didelphys, feeding, 393
parasitized by *Aspidophryxus*, 393
population composition, 388–9, 393
reproduction, 393
gibbosa, deep-water form, 387–8
feeding, 387
population composition, 382–5
reproduction, 385–6

Nematode fauna off Northumberland coast, 129–46
Nerve physiology, squid axons, 265, 349–63
Nervous system, invasion by mucus gland cells in *Rhynchonerella*, 421–7
Nets for sampling young fish and macroplankton, 689–712
Nitrogen excretion by *Calanus*, 525–60
Nucella lapillus, multiple tooth-rows in shell, 1101–11
Nutrition, *Anemonia sulcata*, 267
interstitial microflora, 907–18
marine bacteria, 859–70
marine flatfish, 87–95
Platymonas, 199–208
zooplankton, 525–60

Oceanographical time-series, 265
Oil residue decomposition in sand, 925–37
Oil-spill dispersant 'Corexit 7664', effect on beach microflora, 919–23
Oil-spill emulsifier 'BP 1002', effect on growth of *Nucella lapillus*, 1101–11
toxicity to *Prasinocladus*, 461–73
Olfactory stimuli, effect on *Asterias rubens*, 829–47
Onchidoris fusca, ecology, 269–92
feeding, 281–4
growth, 276–7
larval settlement, 277–81
migration, 284–5
reproduction, 277–81
Ophiuroid element composition, 721–30
Orchestia, locomotory activity rhythms, 241–52
Oxygen, effect on polychaete ventilation rhythms, 365–80

Parasites of *Mysidopsis didelphys*, 393
Solea solea, 787–800
Spirula spirula, 64
Trisopterus (*Gadus*), 794–6
Patella vulgata, environmental and body temperatures, 1069–77
Pavlova gyrans, fine structure and taxonomy, 1113–30
Pawsonia, new genus, 683–7
Pectenogammarus planicrurus, effect of substrate on distribution, 769–85
Penaeidea, vertical distribution and migration, 961–1000
Phaeodactylum tricornutum, growth and ionic regulation, 293–9
Phosphate distribution in Tamar Estuary, 849–55
Phosphorus excretion by *Calanus*, 525–60
Photophores and depth distribution, decapod Crustacea, 991–8
mesopelagic fishes, 1001–44
Phytoplankton, adaptation to iron deficiency, 65–86
buoyancy, 298
inorganic nutrients, 819–27, 849–55, 857
Pigmentation and depth distribution of decapod Crustacea, 991–8
Pisces, *Lepidorhombus whiff-iagonis*, 801–18
mesopelagic fishes, 1001–44
Mugilidae, 609–33
Pleuronectes platessa, 87–95, 113–20
Solea solea, 87–95, 787–800
Teleosti, 449–60
Trisopterus (*Gadus*), 794–6
Platymonas convolutae, carbohydrate uptake, 202–4
extracellular products, 205
utilization of organic nitrogen, 204–5
Pleuronectes platessa, amino acid requirements, 87–95
food conversion efficiency, 113–20
Podocyst formation in *Aurelia aurita*, 107–11
Pogonophora of N.W. Atlantic, 267
Polychaeta, *Arenicola marina*, 121–8
commensal associations, 857
Diopatra cuprea, 365–80
Hyalinoecia tubicola, 365–80
Rhynchonerella angelini, 421–7
Sabellaria alveolata, 1–31
spinulosa, 33–52
Polymorphism, enzymes in *Lepidorhombus* muscle, 801–18
Population studies, *Actinia equina*, 253–64
Asellopsis intermedia, 147–60
Bathyporeia, 475–88
Caridea, 939–60
Eurydice, 635–55
pulchra, 753–68
Lepidorhombus whiff-iagonis, 801–18
Mysidopsis, 381–96
nematodes, 129–46
Penaeidea, 961–1000
Schistomysis ornata, 170–2
Tellina tenuis, 561–75
Porifera, *Hymeniacidon perleve*, 343–8
Potassium in *Phaeodactylum tricornutum*, 293–9

Prasinocladus marinus, toxicity of oil-spill emulsifier, 461–73

Raia clavata, AMP-aminohydrolase in muscle, 266
Reproduction, *Actinia equina*, 253–64
amphipods, 177–98
Asellopsis intermedia, 154–6
Bathyporeia, 475–88
Eurydice, 635–55
pulchra, 753–68
Marinogammarus obtusatus, 1079–99
Mugilidae, 625–31
Mysidopsis, 381–96
Onchidoris fusca, 277–81
Rhizosolenia hebetata, 97–106
Schistomysis ornata, 173
Vaucheria sescuplicaria, 513–23
Respiration, *Asellopsis intermedia*, 156–7
marine bacteria, 859–70, 871–81
Respiratory activity in onuphid polychaetes, 365–80
Retinal structure in larval teleosts, 449–60
Retinomotor responses in larval teleosts, 449–60
Rhabdopleura, North Atlantic species, 209–11, 218
compacta, description, 212–16
ecology, 216–17, 219
geographical distribution, 219
Rhizosolenia hebetata, reproduction and taxonomy, 97–106
styliformis, taxonomy, 97–106
Rhynchonerella angelini, mucus glands in central nervous system, 421–7.
Rhythmic activity, *Balanus balanoides*, 1045–55
Bathyporeia pelagica, 1057–68
Cardium edule, 499–512
Onuphid polychaetes, 365–80
Orchestia, 241–52

Sabellaria alveolata, larval growth and settlement, 1–31
spinulosa, larval growth and settlement, 33–52
Salinity, effect on polychaete ventilation rhythms, 365–80
effect on toxicity of oil-spill emulsifier to *Prasinocladus*, 470
preference in *Corophium volutator*, 747–52
tolerance in *Balanus balanoides*, 1045–55
tolerance in Mugilidae, 612
Sampling young fish and macroplankton, 689–712
Schistomysis ornata, feeding, 173
population study, 170–2
reproduction, 173
Sea water, amino acids, 713–20
dissolved organic compounds, 859–70, 871–81
hydrographic and nutrient chemistry, 883–905
inorganic phytoplankton nutrients, 819–27
molybdenum, 439–48
Sediments and substrates, distribution in Christchurch Bay, 673–82
effect of china-clay waste, 577–91
effect on nematode ecology, 129–46
effect on *Pectenogammarus* distribution, 769–85
Silicate availability, effect on spicule size in *Hymeniacidon perleve*, 343–8
Silveriness and depth distribution in mesopelagic fishes, 1001–44
Size, effect on anaerobic survival of *Corophium*, 657–71
Sodium in *Phaeodactylum tricornutum*, 293–9
Solea solea, amino acid requirements, 87–95
parasitized by *Lernaeocera*, 787–800
Solomon Islands, Acrania, 266
polychaete commensals, 857
SOND cruise, 1965, of 'Discovery', 301–42, 397–420, 939–60, 961–1000, 1001–44
Spermatogenesis, *Vaucheria sescuplicaria*, 517–18
Spicules in *Hymeniacidon perleve*, 343–8
Spirula spirula, growth and development, 53–64
life history, 62
parasites, 64
Squalene in deep-sea sharks, 265–6
Squid axons, effect of cyanide on calcium efflux, 265
electro-osmosis, 349–63
Surf plankton, amphipods, 177–98
Symbiodinium microadriaticum, taxonomy and ultrastructure, 858
Symbiosis, dinoflagellate in *Anemonia*, 267
Platymonas in *Convoluta*, 199–208
Symbiodinium in Tridacnidae, 858

Tanais chevreuxi, anaerobic survival, 657–71
Taxonomy, *Asymmetron*, 266
Branchiostoma, 266
dendrochirotid holothurians, 683–7
Pavlova gyrans, 1113–30
Pogonophora, 267
Rhizosolenia, 97–106
Symbiodinium, 858
Teleost larvae, visual cells, 449–60
Tellina tenuis, population studies, 561–75
Temperature, effect on anaerobic survival of crustaceans, 657–71
food conversion efficiency in young plaice, 113–20
growth of copepods, 161–8
metabolic rate in *Patella*, 1069–77
spicule size in *Hymeniacidon perleve*, 343–8
toxicity of oil-spill emulsifier to *Prasinocladus*, 467–70
ventilation rhythms in onuphid polychaetes, 365–80
Toxicity of oil-spill emulsifier to *Prasinocladus*, 461–73
Tridacnidae, dinoflagellate symbionts, 858
Trisopterus (*Gadus*), parasitized by *Lernaeocera*, 794–6
Tunicata, *Ciona intestinalis*, 429–38, 737–46
Turbellaria, *Convoluta roscoffensis*, 206

Ultrastructure, gastric epithelial cells in *Ciona intestinalis*, 737–46
mucus-secreting cells in *Ciona intestinalis*, 429–38
Pavlova gyrans, 1113–30
spermatozoids of *Vaucheria sescuplicaria*, 513–23
Symbiodinium microadriaticum, 858
Underwater light measurement in N. Atlantic, 397–420

Vaucheria sescuplicaria, fine structure of spermatozoids, 513–23

Vertical distribution, amphipods in surf, 177–98
Caridea, 939–60, 961–1001
Conchoecia spinirostris, 731–6
euphausiids, 301–42
mesopelagic fishes, 1001–44
Penaeidea, 961–1001
Zooplankton, growth and development of copepods, 161–8
nutrition and metabolism of *Calanus*, 525–60
sampling young fish and macroplankton, 689–712
swimming activity of amphipods in surf, 177–98

INDEX

GENERA AND SPECIES

Abra alba, 595, 597–603, 605
— *prismatica*, 600, 601, 605
Acanthephyra pelagica, 995, 997
— *purpurea*, 939, 941–3, 945–50, 953, 961, 967–8, 975, 983–5, 987, 989, 991–2, 995, 997
— *sexspinosa*, 985
Acanthocardia echinata, 600–1, 603–4
Acanthochondria soleae, 789–90
Acanthocottus scorpius, 793
Acanthodoris pilosa, 285
Acartia, 542, 549
— *clausi*, 162–3, 166
— *tonsa*, 542
Acrocnida brachiata, 600–4
Actinia equina, 253–64, 275
Actinonema pachydermatum, 134, 136, 138–9
Alcyonium digitatum, 276, 728–9
Alderina imbellis, 216
Aldrichetta forsteri, 630
Alepisaurus, 1024
Alepocephalus, 1035
Amalopenaeus, 968, 971
Ammoglobigerina, 216
Amphihelia oculata, 214
Amphimonhystrella, 134, 138
Amphioxus lanceolatus, 604–5
Amphipleura, 618–19
Amphithoë rubricata, 180
Amphiura filiformis, 599–606
Anemonia sulcata, 267
Anguilla anguilla, 451
Anoplogaster cornuta, 1040
Aora typica, 180
Aphanopus carbo, 953, 957–8
Apherusa bispinosa, 180, 182, 185
— *cirrus*, 180
— *jurinei*, 180
Aphrodite aculeata, 602–3
Archidoris pseudoargus, 269
Arenicola marina, 121–8, 365, 377, 379, 668
Argulus, 620
Argyropelecus, 1030, 1036, 1042
— *aculeatus*, 1007–8, 1023, 1036, 1042
— *gigas*, 1020, 1030, 1036
— *hemigymnus*, 1003–4, 1007–8, 1010–13, 1020–23, 1029–30, 1032, 1036, 1042
Artemia, 223, 225–7, 229, 234–6, 450, 495
— *salina*, 224, 557
Ascidia conchilega, 216
Ascophyllum, 519, 1050–1
Asellopsis intermedia, 147–60
Aslia, 683, 685
— *lefevrei*, 686
Aspidophryxus peltatus, 381, 393
Astasia longa, 206
Asterias rubens, 721, 725–6, 829–47
— *vulgaris*, 844
Astronesthes gemmifer, 1037
— *indicus*, 1037
— *niger*, 1037
Astropecten californiensis, 844
— *irregularis*, 600, 602, 604
Asymmetron cultellus, 266
— *lucayanum*, 266
Atylus swammerdami, 180, 182, 184–8, 190–2, 197
— *vedlomensis*, 180
Aurelia aurita, 107–11
Avocettina, 1040
Axonolaimus spinosus, 134, 136, 138, 140

Balanus, 676
— *balanoides*, 223–40, 269–71, 273–6, 282–4, 286, 288, 830, 839, 1045–55
— *crenatus*, 286
— *porcatus*, 286
Barbantus curvifrons, 1035
Bathophilus longipes, 1037
— *metallicus*, 1028, 1037, 1042
Bathylagus berycoides, 1036
Bathyporeia, 195–7, 487–8
— *elegans*, 179, 191, 195–6
— *guilliamsoniana*, 179, 191, 475
— *nana*, 179, 191
— *pelagica*, 179–83, 185–8, 190–3, 196, 475–88, 1057–68
— *pilosa*, 195–6, 475–88
— *sarsi*, 475
Bathytroctes, 1035
Benthalbella dubius, 1029, 1038
— *infans*, 1028–9, 1038, 1042
Bentheogennema intermedia, 961, 963–4, 971, 983, 987, 989, 992
Bentheuphausia amblyops, 309
Benthosema suborbitale, 1005–6, 1025, 1038, 1042
Biddulphia granulata, 520
— *mobiliensis*, 520
— *rhombus*, 520
Bolbolaimus, 136
Bonapartia, 1041
— *pedalicta*, 1036
Branchiostoma haeckeli, 266
— *indicum*, 266
— *lanceolatum*, 266
— *malayanum*, 266
Buccinium undatum, 33
Busycon, 845

Caesicirrus neglectus, 601
Calanus, 167, 495, 525–60, 689, 705–9
— *finmarchicus*, 165–6, 525–60
— *helgolandicus*, 525–60

— *hyperboreus*, 165–7, 542–3, 546
Callionymus lyra, 605
Calliopius laeviusculus, 180, 185, 191
— *rathkei*, 563
Callizonella, 425
Callopora discreta, 216
Cambarus, 657
Campecopea hirsuta, 653
Campylaimus inaequalis, 134, 136, 138, 140
Cancer pagurus, 594, 835
Candacia, 705
— *armata*, 706
Canthocamptus staphylinus, 155
Caprella acanthifera, 180
— *linearis*, 180
Carcinus, 258
— *maenas*, 251, 667, 1054, 1066–7
Cardium edule, 499–512
Carteria, 1123
Ceradocus semiserratus, 180
Ceratium, 529
Ceratomorpha meyeri, 425
Ceratoscopelus, 1039, 1043
— *maderensis*, 1007–8, 1032, 1039, 1043
— *townsendi*, 1005–8, 1025, 1027, 1030, 1039, 1043
Cetomimus gilli, 1038
Chaenophryne, 1041
— *parviconus*, 1041
Chaetoceros, 532
— *gracilis*, 81
Chaetopterus, 425
— *variopedatus*, 600–1
Chauliodus, 1037
— *danae*, 1028, 1037, 1042
— *sloani*, 1028, 1037
Cheirocratus sundevalli, 180
Chelon, 610
Chironomus, 667
Chlamys opercularis, 33, 46, 49–50, 217
Chlorogonium, 1123
Chorda filum, 519
Chorizopora brogniartii, 216–17
Chromidina elegansk 64
Chrysaora hysoscella, 109
— *mediterranea*, 109
Chrysochromulina, 1124–5
Cibicides, 216
— *refulgens*, 216
Ciona intestinalis, 429–38, 737–46
Cistella cistellula, 216–17
Cladodactyla, 684
Cliona celata, 214
Clupea harengus, 449
— *sprattus*, 706
Coccolithus, 1124
Colochirus ocnoides, 685
Conchoecia, 731, 735
— *acuminata*, 732
— *atlantica*, 735
— *bispinosa*, 732
— *curta*, 731–2
— *elegans*, 732
— *oblonga*, 732
— *procera*, 732
— *rhynchena*, 735
— *secernenda*, 735
— *skogsbergi*, 736
— *spinirostris*, 731–6
Convoluta roscoffensis, 199, 204, 206–7
Corbula gibba, 603
Corella, 433
Cornuspira involvens, 216
Corophium, 619, 658–9, 1066
— *arenarium*, 657–71
— *crassicorne*, 180
— *volutator*, 249, 251, 657–71, 747–52, 1057
Corynocephalus, 425
Corystes cassivellaunus, 603, 605
Coscinodiscus, 297
Cottus, 793
Crangon crangon, 667
Crenimugil labrosus, 609–33
Crepidula, 830
— *fornicata*, 676, 830
Cricosphaera elongata, 527
Crystallolithus, 1124
Ctenopharyngodon idella, 616
Cucumaria, 683–7
— *alba*, 685
— *elongata*, 602, 683–4, 686
— *forbesi*, 685
— *frondosa*, 683, 686
— *hyndmanni*, 683–4, 686
— *lactea*, 601–2, 683, 685–6
— *lefevrei*, 683–5
— *mauritanica*, 684
— *normani*, 683–4, 686
— *pentactes*, 684
— *planci*, 683, 685–6
— *saxicola*, 683–4, 686
Cultellus pellucidus, 595, 599–603, 605
Cyclogyra, 216
Cyclothone, 1016, 1030–2, 1036, 1041
— *acclinidens*, 1003–4, 1014, 1019, 1036, 1041
— *braueri*, 1003–4, 1007–18, 1029, 1036, 1041
— *livida*, 1003–4, 1014, 1019, 1036, 1041
— *pallida*, 1003–4, 1014, 1019, 1036, 1041
— *pseudopallida*, 1003–4, 1007–8, 1014, 1018, 1036, 1041
Cyclopterus lumpus, 788
Cyema atrum, 1040
Cyprina islandica, 666
Cyprinus carpio, 616

Daphnia magna, 1096
Derichthys serpentinus, 1039
Derogenes varicus, 788
Desmodora norvegica, 136, 140
— *pontica*, 136, 138
Desmoscolex minutus, 138
Dexamine spinosa, 180
Diaphus, 1039, 1043
— *brachycephalus*, 1028
— *fragilis*, 1027, 1038
— *garmani*, 1039
— *holti*, 1039, 1043
— *lucidus*, 1039

Diaphus lütkeni, 1039
— *metopoclampus*, 1038, 1043
— *mollis*, 1027, 1039, 1043
— *rafinesquei*, 1005–6, 1025–6, 1030–1, 1039, 1043
— *theta*, 1030
Dictyota, 518
Diogenichthys, 1042
— *atlanticus*, 1005–8, 1025–6, 1038, 1042
Dipatra cuprea, 365–80
Diplobrachia, 267
Diplolychnus mononena, 1037
Diplopeltula, 137
Diplophus taenia, 1036, 1041
Diplospinus multistriatus, 1040
Diretmus argenteus, 1040
Discorbis orbicularis, 216
— *praegeri*, 216
Disporella hispida, 216–17
Ditropichthys storeri, 1038
Donax variegatus, 600
— *vittatus*, 600
Dorylaimopsis punctatus, 129, 131, 134, 137–40, 145
Dosinia exoleta, 595–7, 600–4
— *lupinus*, 600–2, 604–5
Dreissena, 508–11
— *polymorpha*, 500, 502–3, 507, 509
Drosophila melanogaster, 809
Dunaliella tertiolecta, 65–86
Dynamene bidentata, 766

Earlmyersia liliputana, 216
Echinocardium cordatum, 595, 599–606
Echinus esculentus, 721, 727–9
Ectocarpus, 618
Ectosperma, 513
Eledone cirrhosa, 857
Elminius modestus, 275, 284, 286, 830–1, 839
Enchytraeus, 88
Ensis arcuatus, 600–3
— *ensis*, 600–4
Enteromorpha, 619
Entobdella soleae, 788–90, 799
Ephyrina hoskynii, 939, 942–3, 956–7, 983, 987–8, 992
Epiactis prolifera, 254
Erythrops serrata, 169, 387, 393, 480
Escharella immersa, 216
Escharina hyndmanni, 216–17
— *johnstoni*, 216
Escharoides coccineus, 216–17
Ethmodiscus, 297
Euchaeta hebes, 706
Eulalia viridis, 284, 288
Eupasiphaea gilesii, 939, 942–3, 956, 958–9, 983, 987–9, 992
Euphausia americana, 316
— *brevis*, 307, 310, 314, 316–17, 331, 334–5, 339
— *gibboides*, 307, 310, 317, 319, 331, 334–5, 339
— *hemigibba*, 303, 307, 310–11, 316–19, 331, 334, 337–9
— *krohnii*, 307, 310, 314–16, 318–19, 331, 334
— *mutica*, 309
— *paragibba*, 318
— *pseudogibba*, 309, 318
— *recurva*, 309
— *superba*, 315, 318
— *tenera*, 313
Eurydice, 561, 563, 565, 574, 636, 650–3, 655
— *affinis*, 635–55
— *pulchra*, 251, 563, 635–55, 753–68, 1066–7
Eurypharynx, 1016
— *pelecanoides*, 1039
Eurystheus melanops, 180
Eurytemora affinis, 162
— *hirundoides*, 162–7
Eustomias, 1037
— *filifer*, 1037
— *longibarba*, 1037
— *obscurus*, 1028, 1037, 1042
— *tetranema*, 1037, 1042
Evermannella, 1038
— *balbo*, 1038

Fissurella, 1076
Flagellostomias boureei, 1037
Foettengeria, 261
Folliculina ampulla, 215–17
Fragilaria, 618–19
Fucus, 513, 516, 519
— *serratus*, 271, 273, 275–6, 284, 286, 1108
Funchalia villosa, 961, 963–4, 972–3, 983, 985, 987, 989, 991–2, 996

Gadus morhua, 788, 802
Gafrarium minimum, 601–3
Gammarellus homari, 180
Gammarus, 179, 619, 1057
— *chevreuxi*, 1087
— *duebeni*, 479, 483, 485, 1094, 1096
— *locusta*, 180, 182, 184–8, 190–1, 193, 196, 1080, 1096
— *oceanicus*, 667–8
— *pulex*, 1083
— *zaddachi*, 180, 191
Gari fervensis, 601, 603–4
— *tellinella*, 600, 604
Gasterosteus aculeatus, 451
Gavelinopsis, 216
Gennadas, 940, 989
— *elegans*, 961, 963–4, 968–71, 975, 983, 987, 989, 992, 997
— *valens*, 961, 963–8, 970, 975, 983–4, 987, 989, 992, 997
Glycera, 600–2
Glycymeris glycymeris, 217, 600–1, 603–4
Gobius minutus, 793, 796–7
Gonichthys coccoi, 735, 1028, 1030
Gonostoma denudatum, 1036
— *elongatum*, 1014–15, 1036
Gyro, 618–19

Haematococcus, 1123
Halalaimus isaitshikovi, 134, 136, 138, 140
— *longicaudata*, 134, 136
Halichondria penicea, 276
Haliclona caniculata, 343
— *oculata*, 347

Halilophus mirabilis, 209
Halocypris brevirostris, 732
Halycistis osterhoutti, 297
Harmothoë imbricata, 602
Haustorius arenarius, 179, 191
Hemibdella soleae, 789–90, 799
Hemioedema, 684
Henricia sanguinolenta, 725–6
Hermodice carunculata, 127
Heteroteuthis, 53
Heterothyone, 685
Hippolyte, 996
Hippomedon denticulatus, 179
Homarus americanus, 666, 669
— *vulgaris*, 594
Hormosira, 295
Hornera lichenoides, 218
Howella brodiei, 1028, 1040, 1043
Hayale nilssoni, 180
Hyalinoecia tubicola, 365–80
Hydroides norvegica, 216
Hygophum, 1038, 1042
— *benoiti*, 1005–6, 1024–5, 1038, 1042
— *hygomi*, 1005–6, 1025, 1038, 1042
— *reinhardti*, 1027–8, 1038, 1042
— *taaningi*, 1038, 1042
Hymeniacidon perleve, 343–8
Hymenomonas, 1125–6
Hyperia galba, 180

Ichthyococcus ovatus, 1003–4, 1014, 1036, 1041
Idiacanthus, 1042
— *fasciola*, 1028, 1038, 1042
Idotea baltica, 667
— *granulosa*, 756
— *neglecta*, 642
— *pelagica*, 756
Illex, 358
— *illecebrosus*, 350
Iphimedia obesa, 180
Isochrysis, 831
— *galbana*, 1–3, 6–8, 34–6, 81, 162

Jassa falcata, 180

Kareius bicoloratus, 118–19
Krohnia lepidota, 425

Lapidoplax digitata, 599–605
Lacuna pallidula, 276
— *vincta*, 276
Laevicardium crassum, 217, 600, 603
Laminaria, 107, 195, 1046, 1053
— *digitata*, 273, 275–6
— *saccharina*, 273, 276
Lampadena, 1039
— *chavesi*, 1027, 1039
— *speculigera*, 1039
— *urophaos*, 1039
Lampanyctus, 1039, 1043
— *alatus*, 1005–8, 1025, 1027, 1039, 1043
— *ater*, 1005–6, 1025–6, 1030, 1039, 1043
— *crocodilus*, 1028, 1039, 1043
— *cuprarius*, 1039
— *festivus*, 1005–6, 1025, 1027, 1039, 1043
— *lineatus*, 1027, 1039
— *photonotus*, 1027, 1039
— *pusillus*, 1005–8, 1012–13, 1025, 1027, 1031, 1039, 1043
Lanice conchilega, 600–2
Lasaea, 508–11
— *rubra*, 500, 507
Lates niloticus, 451
Laurencia pinnatifida, 273, 275–6, 284, 286
Lepeophtheirus pectoralis, 789–90
Lepidophanes, 1043
— *gaussi*, 1027, 1039, 1043
— *guentheri*, 1043
— *pyrsobolus*, 1005–8, 1011, 1013, 1025, 1027, 1039, 1043
— *supralateralis*, 1043
Lepidopus caudatus, 1040
Lepidorhombus whiff-iagonis, 801–18
Leptolaimus, 137
— *elegans*, 129, 136, 138–40, 145
Leptomysis gracilis, 169, 387, 480, 485
Leptonemella, 130
Leptonereis glauca, 422, 425
Leptopentacta, 684–5
— *elongata*, 686
— *grisea*, 684
Leptostomias gladiator, 1028, 1037
— *macropogon*, 1037
Lernaeocera, 787–800
— *branchialis*, 788, 790–1, 793–4, 796–7
— *brevicollis*, 791, 793
— *caparti*, 791, 793
— *lusci*, 787, 790–3, 795, 797–8
— *minuta*, 791, 793
— *obtusa*, 788, 790–1, 793, 796–8
Leucosolenia variabilis, 347
Licmorpha, 618
Ligia oceanica, 766
Limanda limanda, 603
— *yokohamae*, 118–19
Limnoria, 666
— *lignorum*, 667
Lithodes maia, 830
Lithodesmium, 518
Lithothamnion calcareum, 595
Littorina littoralis, 276
— *littorea*, 273, 276
— *neritoides*, 274
Liza aurata, 609–33
— *cunnensis*, 629–30
— *labrosa*, 610
— *parsia*, 629–30
— *ramada*, 609–33
Lobianchia, 1030, 1038, 1043
— *dofleini*, 1005–6, 1025–6, 1038, 1042
— *gemellari*, 1005–6, 1025–6, 1038
Loligo forbesi, 349–63
Longicyatholaimus, 138, 140
Lophelia pertusa, 214, 218
Loweina rara, 1038
Ludwigia, 685
— *bouvetensis*, 686
— *ekmani*, 686

Ludwigia gemmata, 685
— *glacialis*, 686
— *hedingi*, 686
— *lactea*, 686
— *lutea*, 686
— *pervicax*, 685
— *planci*, 686
— *punctata*, 685
— *solida*, 685
— *spyriodophora*, 685
— *suspecta*, 685
— *tetracentriophora*, 686
— *vicaria*, 686
Lumbriconereis impatiens, 600, 605
— *latreilli*, 601
Lumbricus, 520
Lutraria, 286
— *lutraria*, 217

Macrostomias longibarbatus, 1037
Mactra corallina, 601, 603
Maera othonis, 180
Malacosteus niger, 1038
Margarethia obtusirostra, 1036, 1041
Marinogammarus, 180
— *finmarchicus*, 180, 1079–80, 1089–90, 1096, 1098
— *marinus*, 1079, 1094
— *obtusatus*, 180, 1079–99
— *pirloti*, 180, 563
— *storensis*, 1094
Megaluropus agilis, 180, 191
Meganyctiphanes norvegica, 318
Melamphaes simus, 1028, 1040, 1043
Melanocetus johnsoni, 1028, 1040
Melanogrammus aeglefinus, 451, 788
Melinna palmata, 596–603
Melita obtusata, 180
— *palmata*, 180
Melosira, 520, 618–19
Meningodora mollis, 942–3, 956, 987–9, 992
— *vesca*, 939, 942–3, 955–6, 983, 987–9, 992
Merismopedia, 618
Merluccius merluccius, 793
Mesacanthion, 134–6, 139–40
Mesochaeropterus, 668
Metoncholaimus, 133
Microcoleus, 618
Microcosmus claudicans, 742
Microlaimus, 136, 138
— *honestus*, 136, 140
Microstomus kitt, 451, 788
Molgula oculata, 434
Monochrysis, 831
— *lutheri*, 82–3
Mugil cephalus, 613, 619, 622, 629–30
M tade, 615, 619
—*ya arenaria*, 502
Myctophum, 1030
— *affine*, 1028
Myctophum nitidulum, 1028
— *punctatum*, 1028, 1030
— *selenops*, 1028, 1038
Myrtea spinifera, 602–3
Mysella bidentata, 602
Mysia undata, 601–3
Mysidopsis angusta, 381–96
— *didelphys*, 381–96
— *gibbosa*, 381–96
Mytilus, 118
— *edulis*, 113–14, 273–6, 666, 676, 830, 835–7, 842

Nais, 422
Nassarius, 845
— *reticulatus*, 601, 603
Natica alderi, 601–3
Nematobrachion, 337
— *boopis*, 307, 310, 324–5, 332–5, 339
— *flexipes*, 307, 310, 323–4, 335
— *sexspinosus*, 307, 310, 324, 335
Nematoscelis, 306, 322, 331, 334, 337
— *atlantica*, 306–7, 310–11, 318, 322–3, 335, 339
— *gracilis*, 318
— *megalops*, 307, 310, 323, 331, 336–8
— *microps*, 306–7, 310–11, 318, 322–3, 335, 339
— *tenella*, 307, 310, 321–2, 331, 333–5, 337, 339
Neoconorbina terquemi, 216
Neohaustorius schmitzi, 1096, 1098
Neonesthes capensis, 1037
Neotonchus, 134, 137–8
— *corcunda*, 136, 138
Nephthys, 421–2, 426
— *caecoides*, 426
— *californiensis*, 426
— *cirrosa*, 563, 574
— *ferruginea*, 426
— *hombergi*, 597–602, 604
— *incisa*, 426
Nereis, 613–14
— *diversicolor*, 366, 377
— *irrorata*, 422, 425
— *pelagica*, 600, 602
— *virens*, 377
Nictiphanes, 305, 314
— *australis*, 305
— *capensis*, 305
— *couchii*, 305
— *latifrons*, 305
— *simplex*, 305
Nitella, 349–50, 358, 360
Nitzschia, 34, 618
Noctiluca, 297
Nostoc, 207
Notolychnus valdiviae, 1005–8, 1025–6, 1039, 1043
Notoscopelus, 1030
— *caudispinosus*, 1028, 1039
— *resplendens*, 1005–6, 1025, 1027–8, 1039
Notostomus longirostris, 942–3, 956–7, 983, 987–9 992
— *mollis*, 983
Nototropis, 197
Nucella, 269
— *lapillus*, 273–6, 283–4, 288, 1101–11
Nucula, 600–2, 676

Ochromonas, 1113, 1126
— *danica*, 202

Ocnus, 685–6
— *brunneus*, 686
— *lactea*, 686
— *planci*, 686
Odonaster validus, 844
Odontogadus merlangus, 788
Odontophora, 130, 135
— *longisetosa*, 136, 139–40, 145
Oedogonium, 518
Oikopleura, 433, 742
Onchidoris fusca, 269–92
— *muricata*, 287
Oncholaimus skawensis, 138, 140
Oncorhynchus, 449, 455
— *nerka*, 802
Onuphis quadricuspis, 600
Ophelia bicornis, 19
Ophiocomina nigra, 603
Ophiothrix fragilis, 600, 603–4
Ophiura albida, 600, 602–3
Opisthoproctus grimaldi, 1036
— *soleatus*, 1036
Oplophorus grimaldii, 955
— *spinosus*, 939, 942–4, 953–5, 962, 983, 987, 989–92, 996–7
Orbinia, cuvieri, 600, 602
Orchestia, 241–52
— *cavimana*, 241–52
— *gammarella*, 180, 241–52
— *mediterranea*, 241–52
Oscillatoria, 615, 618–19
Ostrea, 509
— *edulis*, 502, 829, 831, 840
Owenia fusiformis, 600–2, 605, 668
Oxyonchus, 134

Palaeomonetes, 996
Paracanthonchus, 138
Paracucumaria, 684
— *hyndmanni*, 686
Parajassa pelagica, 180
Paralinhomoeus, 134
Paralithodes camtschaticus, 378
Paramesacanthion, 136
Paranais litoralis, 118
Parapandalus richardi, 939, 942–3, 956–8, 983, 987, 989, 992, 996
Parapasiphaea, 959
Pareuchaeta norvegica, 169
Pasiphaea hoplocerca, 939, 942–3, 956, 958, 983, 987–9, 992
Patella vulgata, 273–6, 284, 286, 1045, 1053–4, 1069–77
Pavlova, 1113, 1123, 1126
— *gyrans*, 1113–30
— *mesolychnon*, 1123
Pawsonia, 683–4
— *saxicola*, 686
Pecten maximus, 14–15, 18, 33, 46–9, 52
Pectenogammarus planicrurus, 180, 182, 185–6, 191, 769–85
Pectinaria auricoma, 600–2, 605
Peltigera polydactyla, 207
Pelvetia, 274, 519
Penetrantia concharum, 216
Pentacucumis, 686
— *planci*, 686
Peridinium, 46
— *divergens*, 173
— *ovatum*, 173
Perinereis cultrifera, 601
Perioculodes longimanus, 180
Phaeocystis pouchetti, 491, 494
Phaeodactylum tricornutum, 34, 82, 293–9
Phallusia mammillata, 435
Photonectes, 1037
— *margarita*, 1037
Photostomias guernei, 1028, 1038, 1042
Phtisica marina, 180
Pisione, 421
Platichthys flesus, 118, 788
Platychelipus, 155
Platymonas, 202, 206
— *chui*, 200, 203
— *convolutae*, 199–208
— *impellucida*, 200, 203
— *suecica*, 200, 203
— *tetrathele*, 199–207
Pleonexes gammaroides, 180
Pleuronectes platessa, 87–95, 113–20, 148, 449, 603
Pleurosigma, 618–19
Pollachius pollachius, 795
— *virens*, 795
Polybrachia, 267
Polydora giardi, 17
Polygastrophora, 134
Polystomella, 618
Polytoma obtusum, 206
Pomatoceros triqueter, 216
Pomatoschistus minutus, 451
Pomponema, 136, 138
Pontocrates, 197
— *altamarinus*, 180, 191, 195
— *arenarius*, 180–3, 185–8, 190–1, 193, 563
Porania pulvillus, 726
Poromitra capito, 1028, 1040
— *megalops*, 1028, 1040
Porphyra, 295
Portunus depurator, 605
— *holsatus*, 605
Potamopyrgus, 619
Prasinocladus, 199, 202, 206–7
— *lubricus*, 200, 203
— *marinus*, 200, 203, 461–73
Prasiola, 518
Prochromadora orleyi, 134
Prymnesium, 1124–5
Psammechinus miliaris, 601
Pselionema, 134
Pseudocalanus, 167
— *minutus*, 162–6
Pseudoprotella phasma, 180
Pseudotheristus, 136, 138
Pteromonas, 1123
Purpura, 1101
Pyramimonas, 199–203
— *amylifera*, 200, 203
Pyura microcosmus, 742

Raia clavata, 266
Remaneica plicata, 216
Reptadeonella violacea, 216
Rhabdocoma, 136, 140
Rhabdopleura, 209, 211–12, 218–19
— *annulata*, 215
— *compacta*, 209–21
— *eocenica*, 215
— *grimaldi*, 211
— *manubialis*, 211
— *mirabilis*, 209, 211
— *normani*, 209–16, 219
Rhincalanus nasutus, 153
Rhizosolenia, 295
— *alata*, 104
— *bergonii*, 104
Rhizosolenia hebetata, 97–106
— *shrubsolei*, 104, 823
— *styliformis*, 97–106
Rhodymenia, 295
— *palmata*, 296
Rhynchonerella angelini, 421–7
Richtersia, 138, 140
Rosalina, 216
Rotaliammina astrifica, 216
— *ochracea*, 216

Sabatieria cupida, 129, 131, 135, 137–40, 145
— *hilarula*, 135–6, 140
— *ornata*, 134–6, 138–40
— *punctata*, 134
Sabellaria alveolata, 1–31, 33–4, 36–44, 51–52
— *spinulosa*, 1, 8–18, 21, 26–28, 30, 33–52
Sagartia, 276
— *troglodytes*, 254
Sagitta, 335, 689, 706–9
— *elegans*, 169, 705–6
— *hispida*, 549
— *setosa*, 705–6, 708
Salmacina dysteri, 216
Salmo salar, 451, 455
— *trutta*, 593
Salvelinus fontinalis, 119, 662, 669
Sardina pilchardus, 451
Schistomysis ornata, 169–75, 381, 387, 395
— *spiritus*, 169, 175
Schizomavella auriculata, 216–17
Schizotheca divisa, 216–17
Scoloplos, 421
Scopelarchus, 1038
— *guentheri*, 1028, 1038, 1042
Scopelogadus, 1040
— *beanii*, 1040
Scopelosaurus lepidus, 1038
Scytosiphon, 518
Searsia koefoedi, 1028, 1035, 1041
Sergestes, 940, 961–2, 989, 991–2, 996
— *armatus*, 961, 963–4, 971, 982–3, 987, 989
— *atlanticus*, 961, 963–4, 982–3, 987, 995
— *challengeri*, 992
— *corniculum*, 961, 963–4, 978–80, 983, 987, 991
— *henseni*, 981
— *japonicus*, 961, 963–4, 976–7, 983, 987, 989–90
— *mollis*, 977
— *pectinatus*, 961, 963–4, 971, 982–3, 987, 989
— *robustus*, 961, 963–4, 974–6, 983, 986–7, 989, 991–2, 997
— *sargassi*, 961, 963–4, 980, 983, 987, 989–90
— *splendens*, 961, 963–4, 975–6, 983, 987, 989–90, 992, 997
— *tenuiremis*, 961, 963–4, 971, 978, 983, 987, 989
— *vigilax*, 961, 963–4, 971, 981–3, 987, 989
Serpula vermicularis, 215–16
Serrivomer, 1039, 1043
— *beani*, 1028, 1039
Siboglinum, 267
Sigalion mathildae, 601
Skeletonema, 530, 532, 550–1, 554
— *costatum*, 527
Socarnes erythrophthalmus, 179, 191
Solaster endeca, 830
— *papposus*, 725–6, 829–31, 841–5
Solea solea, 87–95, 451, 603, 787–800
Solecurtus chamasolen, 601
— *scopula*, 600, 603
Spatangus purpureus, 600, 603–4, 721, 727, 729
Spathipora sertum, 215–16
Sphaerolaimus, 134–5, 138, 140
— *paradoxus*, 134
Sphaeroma hookeri, 653, 764
— *serratum*, 653
Sphaleromantis, 1123
Spirinia parasitifera, 137
Spirorbis cuneatus, 216
— *heteropoma*, 215–16
— *malardi*, 216
— *pagenstecheri*, 216
— *vitreus*, 216
Spirula spirula, 53–64
Spisula subtruncata, 601, 605
Spongilla lacustris, 343, 347
Stenopleustes nodifer, 180
Stenothoë monoculoides, 180
Sternoptyx, 1024, 1037, 1042
— *diaphana*, 1003–4, 1007–8, 1023–4, 1030, 1036, 1042
Stomatopora incurvata, 216
Stomias, 1037
— *boa boa*, 1037
— *brevibarbatus*, 1037
Stylocheiron, 304, 332, 337
— *abbreviatum*, 307, 310, 330–1
— *affine*, 306–10, 326–7, 332, 334–5, 339
— *carinatum*, 307, 310, 324
— *elongatum*, 307, 310, 329, 332, 334–5, 337, 339
— *longicorne*, 306–10, 326–9, 332, 334–5, 337, 339
— *maximum*, 307, 310, 331
— *suhmii*, 307, 310, 325–7, 332, 334–5, 339
Sycon ciliatum, 216
Symbiodinium microadriaticum, 858
Symbolophorus rufinus, 1028
— *veranyi*, 1028, 1042
Synchelidium, 251, 1057, 1066
Syngnathus pelagicus, 1040, 1043
Synonchiella, 135
— *riemanni*, 131, 136, 140
Syrrhoites fimbriatus, 180, 191

Systellaspis, 989
— *braueri*, 939, 942–3, 953, 983, 987, 989, 992
— *cristata*, 939, 942–3, 953, 983, 987, 989, 992
— *debilis*, 939, 942–4, 950–2, 983, 987, 989, 993, 997

Taaningichthys bathyphilus, 1039, 1043
Talitrus saltator, 242, 1057
Talorchestia deshayesii, 242
— *quoyana*, 242, 249
Tanais chevreuxi, 657–71
Tealia felina, 276, 728–9
Tellina crassa, 217, 600, 603
— *fabula*, 595, 597–604
— *pygmaea*, 600–3
— *squalida*, 601–2, 604
— *tenuis*, 561–75, 600–2
Temora longicornis, 162–6
Teredo, 510
Terschellingia longicaudata, 130, 134–6, 138–40
Tetragonurus cuvieri, 1040
Tetraselmis subcordiformis, 200, 203
Thais, 1101
— *lamellosa*, 1102
Thalassiosira, 527, 530, 532, 554
Thalassomyces fagei, 317
Theristus, 134, 136, 138
— *oxycerca*, 137
— *setosus*, 136, 140
— *tenuispiculum*, 134, 136
Thracia pubescens, 601
Tritaeta gibbosa, 180
Thyasira flexuosa, 601, 603
Thyone raphanus, 601–2
Thysanoessa, 337
— *gregaria*, 305–7, 310, 319–21, 334–5, 337, 339
— *longicaudata*, 315
— *parva*, 305–7, 310, 320–1, 332–5, 337
Thysanopoda, 337
— *aequalis*, 304–5, 313, 339
— *biproducta*, 311
— *cornuta*, 309
— *cristata*, 307, 310–11
— *egregia*, 309
— *insignis*, 309
— *microphthalma*, 305, 307, 310, 312–13, 332, 334–5, 337
— *monacantha*, 311
— *obtusifrons*, 307, 310, 312–13, 331, 334–5
— *orientalis*, 305
— *pectinata*, 307, 310, 313
— *subaequalis*, 303–5, 307, 310–13, 331, 333–5, 337, 339
Tigriopus brevicornis, 155
— *fulvus*, 155
Tilapia, 620
Tomopteris, 425
Trachydemus mainenesis, 130
Trachythyone, 685
— *elongata*, 686
— *muricata*, 684
Tridacna, 503
— *crocea*, 207
Trisopterus lucus, 792–3
Trochammina, 216
— *globigeriniformis*, 216
— *squamata*, 216
Tubifex, 422
Turritella communis, 601–2, 604–5
Tylorrhynchus heterochaetus, 118

Uca pugilator, 996
Ulva, 273, 615
— *lactuca*, 275
Urosalpinx cinerea, 845
Urothoë brevicornis, 179, 191

Valencienellus, 1032, 1041
— *tripunctulatus*, 1003–4, 1007–8, 1013–14, 1019, 1030, 1032, 1036, 1041
Valonia, 295
Vaucheria, 513, 518–20
— *aversa*, 514
— *dichotoma*, 514
— *geminata*, 514
— *pachyderma*, 514, 516
— *sescuplicaria*, 513–23
— *sessilis*, 514, 516, 520
— *synandra*, 522
Venerupis japonica, 118
— *rhomboides*, 595–6, 600, 604
Venus fasciata, 595–7, 600, 604
— *striatula*, 601–2, 604
— *verrucosa*, 217
Vinciguerria, 1030, 1036, 1041
— *attenuata*, 1003–4, 1007–8, 1013–14, 1036, 1041
— *nimbaria*, 1036, 1041
— *poweriae*, 1036, 1041
Viscosia abyssorum, 136, 140
— *viscosa*, 137

Xenodermichthys socialis, 1035

Zostera, 613